



SHEPHERD BOATS LIMITED

NIAGARA - ON - THE - LAKE

ONTARIO, CANADA



ACCESSORIES AND EXTRA EQUIPMENT

SUGGESTED LIST U.S. PRICES

(DUTY AND BROKERAGE INCLUDED)

Payable in U.S. Funds

(PRICES SUBJECT TO CHANGE WITHOUT NOTICE)

JANUARY 1, 1965

AIR CONDITIONER — Cruisair 2 ton unit with 3 separate Condensers — reverse cycle heating	\$2159
AIR CONDITIONER — G.E. 11,000 BTU	705
ALARM SYSTEM — safety centre, gas sniffer, low oil pressure, high water temp, flooding in bilge, fire in engine compartment	230
ANCHOR — installed with chocks — 8 lbs	27
13 lbs.	34
22 lbs.	44
40 lbs.	72
ANCHOR CHOCKS — installed	17
AUTOMATIC PILOT — Bendix No 14 non-hunting with remote control	1295
BATTERY — heavy duty — 200 amp. hr.	79
BILGE PUMP — Manual Electric	50
Automatic	70
BLOWER	39
Extra for safety switch	21
BOARDING LADDER	96
Extra hook for boarding ladder	8
Combination boarding swim ladder for swim grid	140
BOW PULPIT — for 26 ft. cruiser	95
CANVAS	
Cockpit cover — from top to aft deck with plastic window	
19 ft. nylon outer fabric underside	65
22 ft. nylon outer fabric underside	66
26 ft. canvas duck	114
31 ft. canvas duck	150
35 ft. canvas duck	130
41 ft. herculite	259
46 ft. herculite	347
Console cover (herculite) — 26 ft.	32
31 ft.	35
35 ft.	35
41 ft.	37
46 ft.	38
Convertible top — 19 ft. nylon outer fabric underside	149
22 ft. nylon outer fabric underside	155
26 ft. canvas duck	172
Drop Curtain with plastic window, zippered.	
26 ft. canvas duck	79
31 ft. canvas duck	84
35 ft. canvas duck	89
41 ft. herculite	118
46 ft. herculite	125
Mooring cover — over sheer	
19 ft. canvas duck	94
22 ft. canvas duck	105
Shipping cover — canvas	
19 ft.	92
22 ft.	115
26 ft.	263
31 ft.	303
35 ft.	354
41 ft.	381
46 ft.	408

Side Curtains	
19 ft. nylon outer fabric underside	46
22 ft. nylon outer fabric underside	48
26 ft. canvas duck	88
31 ft. canvas duck	90
35 ft. canvas duck	92
41 ft. herculite	109
46 ft. herculite	149
Weather curtain	
26 ft. canvas duck domed	68
31 ft. herculite laced	97
35 ft. herculite laced	101
Windshield cover — herculite	
26 ft.	35
31 ft.	37
35 ft.	39
41 ft.	55
46 ft.	58
CIRCUIT BREAKER — 20 amp. 4 breakers	52
20 amp. 8 breakers	72
20 amp. 12 breakers	83
CLOSING in hardtop with folding doors	
41 ft.	1386
46 ft.	1510
CLOSING in extended hardtop with folding doors	
35 ft.	1021
41 ft.	1540
46 ft.	1678
COMPASS	
Corsair flush mount	61
Express	189
Constellation 5"	167
Constellation 6"	203
Constellation 7"	239
Constellation 8"	283
CONVERTER	
10 amp.	157
30 amp.	233
CHLORINATOR in head	114
CRADLE	
Standard — 19 ft.	42
22 ft.	54
26 ft.	80
31 ft.	122
35 ft.	136
41 ft.	196
46 ft.	391
Reinforced for railroad shipment	
19 ft.	162
22 ft.	176
26 ft.	299
31 ft.	414
35 ft.	428
41 ft.	610
46 ft.	733
DAVITS — Cap'n John's	186
DEPTH SOUNDER — Danforth White	160
DISH RACK	55
DRIP PAN — fibreglass per engine	63
ELECTRIC HEAD — price over standard	98
ELECTROLYSIS — zinc collar — each	5
ENGINE HOUR METER — each	33

FACTORY MAKE READY — excluding gas and oil	
19 ft.	31
22 ft.	31
26 ft.	37
31 ft.	62
35 ft.	62
41 ft.	306
46 ft.	306
Gas and oil	
19 ft.	3
22 ft.	3
26 ft.	4
31 ft.	8
35 ft.	8
41 ft.	25
46 ft.	25
FAN — installed in head	58
FENDERS	
19"	4
23"	7
Pull up 6 - 19" for runabouts	108
10" x 26" pneumatic	31
FIRE EXTINGUISHERS	
2½ lb.	20
5 lb.	39
10 lb. CO2 system — automatic with remote	556
15 lb. CO2 system — automatic with remote	586
25 lb. CO2 system — automatic with remote	656
35 lb. CO2 system — automatic with remote	683
75 lb. CO2 system — automatic with remote	876
FISHING BRIDGE	
26 ft.	1190
31 ft.	1240
35 ft.	1307
41 ft.	1902
46 ft.	1957
*FLAGPOLE — stern	
19 ft.	33
22 ft.	33
26 ft.	25
31 ft.	25
35 ft.	48
41 ft.	53
46 ft.	56
FLARES — set of three	2
FOG BELL	11
FUEL LINE FILTER	22
FUME DETECTOR	105
extra sensing unit	33
GALLON PER HOUR METER	77
GATE IN AFT RAIL	
Single gate	69
Double gate	114
GENERATOR, automatic muffled, water cooled, low oil and high temp. cutout, rubber mounted with automatic breaker panel	
2.5 kilowatt direct cooling	1538
7.5 kilowatt diesel closed water cooling over the price of 6.5 gasoline	1445
HARDTOP with safety plate glass throughout, domelight, headlining	
26 ft. standard	920
26 ft. sunliner	748
31 ft.	838
35 ft. sliding-side glass windows	874
41 ft. sliding-side glass windows	980

HATCH BINDING — per hatch (41 ft. and 46 ft. only)	37
HEATER — 110 V 1500 watts, with thermostat	90
HIDEABED	219
HINGED MAST	23
HORN — Buell dual strombos air complete with compressor	535
HOT WATER FROM ENGINE COOLING SYSTEM — faucets	65
HOT WATER SYSTEM — 10 gallon tank, engine heated plus 110 V immersion heater with 2 faucets	325
ICE CUBE MAKER U-LINE	311
LETTERING — gold leaf — per inch height per letter	1
LIGHTER — installed	8
LIGHTS	
Cabin — standard	14
Cabin — bullet type	25
Docking lights — Morse type R	114
Domelight	22
LOCK — drawer or door	16
LOUD HAILER combination intercom, fog horn, Air Guide	325
MATTRESS — 6" foam instead of 4" per mattress	33
MOTOR SHIELDING per engine	181
MUFFLER — each	
2½" Copper	51
3½" Copper	95
4" Copper	106
2½" Monel	103
3½" Monel	155
4" Monel	182
6" Monel	403
6" Rubber	292
OUTLETS — 110 V	
extra in cabin	11
weather proof	22
Shore plug (inlet) weather proof	18
PENNANT	3
*PENNANT POLE	4
PIKE POLE	24
POLARITY INDICATOR	30
POWER WINCH	179
*PROPELLERS	
diameter	
14"	42
15"	48
16"	56
18"	71
22"	114
24"	139
RAILING — bow and side, stainless steel	
31 ft.	315
35 ft.	345
REFRIGERATOR conversion from ice box	
12V	253
12V with converter	450
110V	215
RING BUOY with 50 ft. of line	
20"	33
30"	43

*REPLACEMENT PART — Price does not include installation.

RING BUOY HANGER	4
SAFETY WIRE ON SIDE STANCHIONS	
31 ft. nylon coated wire	42
35 ft. nylon coated wire	44
41 ft. stainless steel braided	84
46 ft. stainless steel braided	88
SEATS — Aft deck seat	
26 ft.	299
31 ft.	331
35 ft.	364
41 ft.	436
46 ft.	481
Companion seat	
26 ft. (Scott Port-a-Fold)	95
31 ft.	145
35 ft.	155
41 ft.	198
46 ft.	266
Footrest	
26 ft.	25
31 ft.	12
35 ft.	13
41 ft.	16
46 ft.	17
Doeskin upholstering runabout	85
Double helmsman's seat over mahogany cabinet with chart drawer and storage locker with lock	
41 ft.	372
46 ft.	398
one faucet installed with sink	96
second faucet installed	32
seat made adjustable	83
Extra wide helmsman's seat	
31 ft.	32
35 ft.	35
Back to back seat — 22 ft.	193
*SHAFTING — stainless steel, price per foot	
1"	10
1½"	13
1¾"	21
1½"	26
SHOWER — 31 ft. and 35 ft. complete with sump pump, formica panelling concealed basin, hot water heater and tank (with hot water to sinks in galley and head)	
	495
SKY VENT	
9"	49
12"	75
SPEEDOMETER	
Pitot-tube model	28
Sumlog — knots per hour and mileage meter	172
SPOTLIGHT	
runabout (stbd. side only)	32
Rayline No. 833 remote control through hardtop ½ mile	174
Rayline No. 733 remote control through hardtop 1 mile	238
Invalid remote control (mounted on cabin roof)	115

STATEROOM — guest in 46', 2 berths, chest of drawers, hanging locker	1918
STEM EYE BOLT (runabouts)	7
STEP PLATES	
4½" x 11"	22
5½" x 15"	26
STOVE	
Princess over alcohol with oven and rotisserie wired with breaker	240
Propane over alcohol	154
STRAINER	
gasoline engine — each	32
diesel engine — each	80
SWIM PLATFORM	
26 ft.	188
31 ft.	239
35 ft.	247
41 ft.	333
46 ft.	341
SWITCHES	
standard type	8
neutral start	14
SYNCHRONIZER	
Allen-Bradford	55
Automatic	380
TABLE — CASTRO CONVERTIBLE	335
TRIM TABS	
26 ft.	411
31 ft.	411
35 ft.	447
41 ft.	470
46 ft.	470
V BERTH INSERT	29
VAPOR PROOF SWITCH	10
WASHDOWN PUMP	155
WINDSHIELD DRAPES	
26 ft.	36
31 ft.	37
35 ft.	38
41 ft.	41
46 ft.	43
WINDSHIELD WASHER — each	45
WINDSHIELD WIPER	
Electric	
19 ft.	43
22 ft.	43
26 ft.	43
31 ft.	43
35 ft.	43
41 ft.	56
46 ft.	56
Air Wiper — not including air supply	134
WORMSHOE — Oak	
31 ft.	35
35 ft.	41
41 ft.	47
46 ft.	53

*REPLACEMENT PART — Price does not include installation.